

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Retatrutide - 30mg

 Tested for: Heritage Labs
<https://heritagelabsusa.com>

COA #: COA-2026-E_NAZL
Lot Number: RT30-260804-H
Labeled Content: 30mg
Volume: 3mL

Analysis Date: 08/18/2026
Appearance: Good
Volume: 3mL
Date Received: 08/11/2026

Method: Purity, Identity & Quantitation (HPLC)

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: JGV8CY2Y

Identity	Peptide Purity		Fentanyl Free
Retatrutide	99.22%		


Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.22%	%	PASS
Net Peptide Content	Report Only	31.3	mg	N/A
Identity (HPLC-RTM)	Retatrutide	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Retatrutide 30mg - RT30-260804-H

HPLC Chromatogram



Retatrutide 30mg - RT30-260804-H: UV Chromatogram

Notes & Methodology

- Date Tested: 08/18/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be Retatrutide by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.





Dr. Greg Kalyuzhny
Lab Director
8/18/2026

COA #: COA-2026-E_NAZL
Access Code: JGV8CY2Y
Verify: <portal.ils-lab.com>
Issued: 8/18/2026