

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Selank - 10mg

Tested for: Heritage Labs
<https://heritagelabsusa.com>

COA #: COA-2026-10VXKI
Lot Number: SK10-260617-H
Labeled Content: 10mg
Volume: 3mL

Analysis Date: 08/03/2026
Appearance: Good
Volume: 3mL
Date Received: 07/23/2026

Method: Purity, Identity & Quantitation (HPLC)

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: VJQTB42

Identity	Peptide Purity	Fentanyl Free
Selank	99.56%	


Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.56%	%	PASS
Net Peptide Content	Report Only	10.54	mg	N/A
Identity (HPLC-RTM)	Selank	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Selank 10mg - SK10-260617-H

HPLC Chromatogram



Selank 10mg - SK10-260617-H: UV Chromatogram

Notes & Methodology

- Date Tested: 08/03/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be Selank by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
8/3/2026

COA #: COA-2026-10VXKI
Access Code: VJQTB42
Verify: <portal.ils-lab.com>
Issued: 8/3/2026